

AUGUST 2019

KW 34

NEU EINGELANGT

ROHOF
WAFFENHANDEL

ROHOF Waffenhandel GmbH
Hermannsplatz 17
A-2560 Berndorf

gerhard.rohrbacher@rohofwaffen.at
www.rohofwaffen.at
02672/82571



437922.00 37186

RU HM77RSB AFRICAN 375 RUG FLASH

VKP 1.970,00



Sonderpreis : 1.615,00

Model Number: 37186; Caliber: 375 Ruger; Stock American Walnut with Ebony Forend Cap
Front Sight Bead; Rear Sight Adjustable; Capacity 3; Thread Pattern .5/8"-18
Barrel Length .23"; Overall Length 44.88"; Material: Alloy Steel
Finish: Satin, Blued, Length Of Pull: 13.50" , Twist 1:12" RH, Weight 8 lb. , Grooves 6

- The LC6™ trigger features smooth, crisp performance right out of the box for increased accuracy on the range or in the field.
- Non-rotating, Mauser-type controlled round feed extractor is the most positive case extraction system ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- The Ruger® Muzzle Brake System includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced by the included dynamically-matched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Shallow "express-style" windage-adjustable "V" notch rear sight and large white bead front sight for instant target acquisition.
- Patented integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Ergonomically pleasing, American walnut stock has rounded contours along the barrel, on the bottom of the stock and on top of the pistol grip and wrap-around checkering on grip and forend.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Also includes - rugged one-piece, stainless steel bolt; barrel band mounted swivel stud; optional forend swivel stud.

AUGUST 2019

KW 34

NEU EINGELANGT

ROHOF
WAFFENHANDEL

ROHOF Waffenhandel GmbH
Hermannsplatz 17
A-2560 Berndorf

gerhard.rohrbacher@rohofwaffen.at
www.rohofwaffen.at
02672/82571



437915.00	47125	RU HKM77RSG GUIDE GUN 375RU FLASH	VKP 1.970,00
437916.00	47130	RU HKM77RSG GUIDE GUN 416RU FLASH	VKP 1.970,00



Sonderpreis : 1.575,00

Model Number: **47125**, Caliber: **375 Ruger**, Model Number: **47130**, Caliber: **416 Ruger**

Stock: Green Mountain Laminate, Front Sight: Bead

Rear Sight: Adjustable, Capacity:3 Thread Pattern:5/8"-18, Barrel Length: 20"

Overall Length:41" - 42.50", Material: Stainless Steel. FinishHawkeye Matte

Length Of Pull: 12.75" - 14.25", Twist1:12" RH, Weight8.1 lb., Grooves:6

Shallow "express-style" windage-adjustable V-notch rear sight and large white bead front sight for instant target acquisition.

- Rugged, Green Mountain laminate stock is dimensionally stable in environmental extremes, and features a soft rubber butt-pad with butt-pad spacers that allow the rifle to be properly sized for different shooters or varying levels of outerwear (three, 1/2" spacers included). Wrap-around checkering provides a sure grip in any weather.
- The Ruger® Muzzle Brake System includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced with the included dynamically-matched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.
- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction system ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- The LC6™ trigger features smooth, crisp performance right out of the box for increased accuracy on the range or in the field.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Rugged, one-piece, stainless steel bolt.
- Also includes: barrel band mounted swivel stud; optional forend swivel stud.

AUGUST 2019

KW 34

NEU EINGELANGT

ROHOF
WAFFENHANDEL

ROHOF Waffenhandel GmbH
Hermannsplatz 17
A-2560 Berndorf

gerhard.rohrbacher@rohofwaffen.at
www.rohofwaffen.at
02672/82571



437941.00 47145 "RU HKM77-FTW HUNTER 30-06 SPR. 24"" FLASH

VKP 1.876,00



Sonderpreis : 1.535,00

Model Number: **47145**, Caliber: **30-06 Sprg.** ,

Stock: Natural Gear™ Camo Hardwood, Sights:None, Barrel Length: 24", Material:Stainless Steel

Thread Pattern: 1/2"-24, Twist:1:10" RH, Capacity: 3, Finish: Hawkeye Matte Stainless

Weight: 8.2 lbs., Overall Length: 43.25" - 44.75", Length of Pull:12.75" - 14.25", Grooves: 6

- Non-rotating, Mauser-type controlled round feed extractor is among the most positive case extraction systems ever invented, and features a fixed blade-type ejector that positively ejects empty cases as the bolt is moved fully rearward.
- Hinged, solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Ergonomically pleasing stock features a soft rubber butt pad with butt pad spacers that allow the rifle to be properly sized for different shooters or varying levels of outerwear (three 1/2" spacers included).
- Cold hammer-forged barrel results in ultra-precise rifling that provides exceptional accuracy and longevity.
- Integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for included scope rings, eliminating a potential source of looseness and inaccuracy in the field.
- Rugged, one-piece, stainless steel bolt
- The Ruger® Muzzle Brake System includes a removable, radial-port muzzle brake that significantly reduces felt recoil. For times when the brake is not preferred, it may be replaced by the included dynamically-matched muzzle weight. Switching between the brake and the weight will not change the bullet's point of impact for a particular load. The included thread protector may be used if neither the brake nor the weight is desired.
- Also includes: studs for mounting sling swivels.